



## Spare parts (classification by reference)

### → CY

CARLY references	Description	Types of products
CCY A 42	Adapter for end core holders	BDCY
CCY A 48	Adapter for end core holders	ACY / BCY
CCY A 100	Adapter for end core holders	BACY / BBCY
CY 10501000	Colour ball for sight glass	VCYR / TURBOIL-R® and TURBOIL-RF® HCYR / HCYN (B and BO types Bitzer)
CY 10810010	1/4" NPT phosphate plug for end plate	ACY / BCY / BACY / BBCY / HCYBF TURBOIL-F® 7011 S/MMS to 30025 S/MMS
CY 10850030	Plug for inspection rod	HCYVI
CY 10850110	Standard fastening plug	FILTRY
CY 10870010	Plug for inspection rod	HCYCTR
CY 11010900	Adapter for core holders	BCY-P14
CY 11610050	50 microns filtrating sleeve	FILTRY
CY 11610150	150 microns filtrating sleeve	FILTRY
CY 12850080	Sight glass 1" 1/4 ROTALOCK	LEVOIL 23 BO and 23 SC
CY 15552000	Four-lobed gasket for holed flange	HCYN / ELECTROIL / LEVOIL
CY 15552180	O-ring PTFE gasket for sight glass	FILTRY / VCYSL / VCYR 32 TURBOIL-R® and TURBOIL-RF® HCYR / HCYN B and BO (Bitzer) / ELECTROIL
CY 15552190	O-ring for holed flange	HCYN / HCYN 1A / ELECTROIL / LEVOIL 22, 23 and 33 RE
CY 15552205	O-ring gasket for sight glass	FILTRY-P9
CY 15552360	End torique gasket	BCY-P14
CY 15553000	Gasket for 48 model core ends	CCY: HP / N / PLATINIUM
CY 15553100	Gasket for 100 model core ends	CCY: HP / N
CY 15555000	Bag of gaskets for shell end plates: CARLY and for most manufacturers of the market (gaskets: 122 x 114 x 1,6 and 114 x 103 x 1,6)	ACY / BCY / BCY-HP
CY 15555120	Gasket for top core holders	BDCY
CY 15555200	Adhesive gasket for core holders: C / D / B1	ACY / BCY
CY 15555211	End plate gasket (red)	BDCY
CY 15555300	Gasket for flange of oil separators (blue)	BCY-P6
CY 15555301	Gasket for flange of oil separators (blue)	HCYSD: 1503 / 2204 / 2505 / 3006 / 1504 S/MMS to 3009 S/MMS TURBOIL-RF® TURBOIL-F®: 2505 S/MMS to 3011 S/MMS
CY 15555303	Gasket for flange of oil separators (blue)	TURBOIL-F® 15013 S/MMS à 30025 S/MMS
CY 15555304	Gasket for flange of oil separators (blue)	TURBOIL-F® 7011 S/MMS à 9017 S/MMS
CY 15555601	Gasket for end plate and for flange of oil separator (red)	ACY / BCY / HCYBF / BCY-HP HCYSD: 3011 S/MMS - 3013 S/MMS - 15013 S/MMS to 70033 S/MMS
CY 15555620	Adhesive gasket for core holders: L - M2	BACY / BBCY
CY 15555701	Gasket for end plate and for oil separator (red)	BACY / BBCY HCYSD: 6011 S/MMS to 8017 S/MMS
CY 15558700	Gasket for core holders: A1 / G1 / E / F	ACY / BCY
CY 15558800	Gasket for core holders: N1 / P1 / R1 / J2 / K2 / Q2	BACY / BBCY
CY 15580032	O-ring for connection-flange	HCYN : type BO (Bitzer)
CY 15580100	Gasket for 3/8" SAE Rotalock valve	TURBOIL-R® and TURBOIL-RF® HCYR / RLHCY / RLVCY CONDOR-V 100 to V 500 / CONDOR-H 150 and 250, outlet from 500, 750 and 1000
CY 15580120	Gasket for 5/8", 7/8" and 1" 1/8 Rotalock valve and connection	RLHCY / RLVCY / CONDOR-V 1000 to V 2500 / LEVOIL 23 BO and 23 SC
CY 15580140	Gasket for 1/2" ODF and 5/8" ODF Rotalock valve	HCYR / RLHCY / RLVCY / CONDOR-V 500 / V 1000 CONDOR-H inlet from 500, 750 and 1000
CY 15580160	Gasket for 5/8", 7/8" and 1" 1/8 Rotalock valve and connection	RLHCY / RLVCY : 400 to 700
CY 15590010	Set of 25 taper copper gaskets for 1/4" SAE connection	KRCY before 2004 HCYVI
CY 15590015	Set of 25 guided taper copper gaskets for 1/4" SAE connection	KRCY / VCYL / DCY MF



## Spare parts (classification by reference)

### → CY

CARLY references	Description	Types of products
CY 15590020	Set of 25 taper copper gaskets for 3/8" SAE connection	KRCY before 2004 HCYVI / HCYVP / HCYCTR
CY 15590025	Set of 25 guided taper copper gaskets for 3/8" SAE connection	HCYCT / HCYVP / KRCY VCYL / DCY MF
CY 15590030	Set of 25 taper copper gaskets for 1/2" SAE connection	KRCY before 2004
CY 15590035	Set of 25 guided taper copper gaskets for 1/2" SAE connection	KRCY / VCYL
CY 15590040	Set of 25 taper copper gaskets for 5/8" SAE connection	KRCY before 2004 / VCYL
CY 15590045	Set of 25 guided taper copper gaskets for 5/8" SAE connection	KRCY
CY 15590050	Set of 25 taper copper gaskets for 3/4" SAE connection	KRCY
CY 17400000	1/4" ODF Rotalock connection with gasket	RLHCY / RLVCY : 09 to 20 / CONDOR-V 100 to V 500 CONDOR-H 150 and 250, outlet from 500, 750 and 1000
CY 17400010	3/8" ODF Rotalock connection with gasket	RLHCY / RLVCY : 25 to 45 / CONDOR-V 100 to V 500 CONDOR-H 150 and 250, outlet from 500, 750 and 1000
CY 17400020	1/2" ODF Rotalock connection with gasket	RLHCY / RLVCY : 60 to 90 / CONDOR-V 500 / V 1000 CONDOR-H inlet from 500, 750 and 1000
CY 17400035	5/8" ODF Rotalock connection with gasket	RLHCY / RLVCY : 120 to 300 / CONDOR-V 1000 to V 2500
CY 17400040	7/8" ODF Rotalock connection with gasket	RLHCY / RLVCY : 120 to 300 / CONDOR-V 1000 to V 2500
CY 17400050	1" 1/8 ODF Rotalock connection with gasket	RLHCY / RLVCY : 120 to 300 / CONDOR-V 1000 to V 2500
CY 17400055	7/8" ODF Rotalock connection with gasket	RLHCY / RLVCY : 400 to 700
CY 17400060	1" 1/8 ODF Rotalock connection with gasket	RLHCY / RLVCY : 400 to 700
CY 17400065	1" 3/8 ODF Rotalock connection with gasket	RLHCY / RLVCY : 400 to 700
CY 17637490	3/4 NPT adapter	LEVOIL 23 SC
CY 17637550	1" 1/8 - 18 UNEF adapter	LEVOIL 23 BO
CY 18906400	Roast exit	BDCY
CY 19700080	1/4" ODF Rotalock valve with gasket	RLHCY / RLVCY: 09 to 20 / CONDOR-V 100 to V 500 CONDOR-H 150 and 250, outlet from 500, 750 and 1000
CY 19700090	1/4" SAE Rotalock valve with gasket	RLHCY / RLVCY: 09 to 20 / CONDOR-V 100 to V 500 CONDOR-H 150 and 250, outlet from 500, 750 and 1000
CY 19700097	3/8" SAE Rotalock valve with gasket	RLHCY / RLVCY: 09 to 45 / HCYR 40 to 300 / TURBOIL-R
CY 19700100	3/8" SAE Rotalock valve with gasket	TURBOIL-R® and TURBOIL-RF® HCYR: inlet and outlet from 40 to 150 inlet from 200 and from 300 RLHCY / RLVCY: 25 to 45 / CONDOR-V 100 to V 500 CONDOR-H 150 and 250, outlet from 500, 750 and 1000
CY 19700110	3/8" ODF Rotalock valve with gasket	RLHCY / RLVCY: 25 to 45 / CONDOR-V 100 to V 500 CONDOR-H 150 and 250, outlet from 500, 750 and 1000
CY 19700120	1/2" ODF Rotalock valve with gasket	HCYR: outlet from 200 / RLHCY / RLVCY: 60 to 90 / CONDOR-V 500 / V 1000 CONDOR-H inlet from 500, 750 and 1000
CY 19700130	5/8" ODF Rotalock valve with gasket	HCYR: outlet from 300 / CONDOR-V 100 to V 500
CY 19700135	5/8" ODF Rotalock valve with gasket	RLHCY / RLVCY: 120 to 300 / CONDOR-V 1000 to V 2500
CY 19700140	1/2" SAE Rotalock valve with gasket	RLHCY / RLVCY: 60 to 90 / CONDOR-V 500 / V 1000 CONDOR-H inlet from 500, 750 and 1000
CY 19700160	7/8" ODF Rotalock valve with gasket	RLHCY / RLVCY: 120 to 300 / CONDOR-V 1000 to V 2500
CY 19700170	1" 1/8 ODF Rotalock valve with gasket	RLHCY / RLVCY: 120 to 300 / CONDOR-V 1000 to V 2500
CY 19700175	7/8" ODF Rotalock valve with gasket	RLHCY / RLVCY: 400 to 700
CY 19700180	1" 1/8 ODF Rotalock valve with gasket	RLHCY / RLVCY: 400 to 700
CY 19700185	1" 3/8 ODF Rotalock valve with gasket	RLHCY / RLVCY: 400 to 700
CY 19900411	Set of 8 fastening screws for flange	HCYBF / ACY / BCY
CY 19900420	Set of 8 fastening screws for flange	HCYSD: 1503 to 3006, 1504 S/MMS to 3009 S/MMS TURBOIL-F® 15013 S/MMS to 30025 S/MMS
CY 19900425	Set of 8 fastening screws for flange Set of 10 fastening screws for flange	TURBOIL-F® and RF® 2505 S/MMS to 3011 S/MMS BCY-P6
CY 19900520	Set of 10 fastening screws for flange	BACY / BBCY / TURBOIL-F® 7011 S/MMS to 9017 S/MMS



## Spare parts (classification by reference)

### → CY

CARLY references	Description	Types of products
CY 19900700	Set of 12 fastening screws for end plate	BCY-P14
CY 25012140	Glass	HCYN B and BO / ELECTROIL
CY 29900130	Bolts + intermediate disk + gaskets	LEVOIL
CY 33301000	Flange with gasket and 1/4" NPT plug	BDCY
CY 33301200	Flange with gasket and 1/4" NPT plug	ACY / BCY / HCYBF
CY 33301203	End plate + gasket + 1/4" NPT phosphate plug	BCY-P6
CY 33301204	End plate + gasket + 1/4" NPT phosphate plug	BCY-P14
CY 33301700	Flange with gasket and 1/4" NPT plug	BACY / BBCY
CY 33303450	Flange with gasket and float set $\Delta Pf = 19$ bar	HCYSD: 15013 S/MMS to 70033 S/MMS TURBOIL-F®: 15021 S/MMS à 30025 S/MMS
CY 33304000	Internal cores for oil separation and filtering	HCYSD: 15013 S/MMS to 15021 S/MMS
CY 33304100	Internal cores for oil separation and filtering	HCYSD: 30025 S/MMS to 70033 S/MMS
CY 33402000	Lower part of separator with gasket and float set	TURBOIL-F®: 2505 S/MMS to 3011 S/MMS (Before 2010)
CY 33403000	Lower part of separator with gasket and float set	TURBOIL-F®: 7011 S/MMS to 9017 S/MMS (Before 2010)
CY 33800456	Flange with gasket and float set $\Delta Pf = 29$ bar	TURBOIL-F® 15013 S/MMS à 15017 S/MMS
CY 33800516	Flange with gasket and float set $\Delta Pf = 29$ bar	TURBOIL-F®: 2505 S/MMS to 3011 S/MMS
CY 33801706	Flange with gasket and float set $\Delta Pf = 29$ bar	TURBOIL-F® 7011 S/MMS à 9017 S/MMS
CY 35012140	Glass with moisture indicator	VCYLS / FILTRY / VCYR-W 32
CY 35012150	Glass without moisture indicator, gasket included	TURBOIL-R® / TURBOIL-RF® / HCYR / VCYLS / FILTRY / VCYR 32
CY 35012160	Glass with moisture indicator, gasket included	VCYR 50
CY 36002050	Double 3/4" gas nipple for SCROLL flange	HCYN 2 SC / ELECTROIL
CY 37001030	C core holder	ACY / BCY (2, 3 and 4 cores)
CY 37001040	D core holder	ACY (3 and 4 cores) / BCY (4 cores)
CY 37001050	E core holder	ACY (1 core)
CY 37001060	F core holder	ACY (2, 3 and 4 cores)
CY 37001070	A1 core holder	BCY (1 core)
CY 37001080	B1 core holder	BCY (3 and 4 cores)
CY 37001090	G1 core holder	BCY (2, 3 and 4 cores)
CY 37002010	H core holder	HCYBF (1, 2 and 3 cores)
CY 37002020	S core holder	HCYBF (2 and 3 cores)
CY 37003015	J2 core holder	BBCY (1 core)
CY 37003025	K2 core holder	BBCY (2, 3 and 4 cores)
CY 37003030	L core holder	BACY (2, 3 and 4 cores) / BBCY (2, 3 and 4 cores)
CY 37003040	M2 core holder	BACY (3 and 4 cores) / BBCY (3 and 4 cores)
CY 37003055	N1 core holder	BACY (1 core)
CY 37003065	P1 core holder	BACY (2 and 3 cores)
CY 37003075	Q2 core holder	BBCY (4 cores)
CY 37003085	R1 core holder	BACY (4 cores)
CY 37004000	Top core holder	BDCY
CY 37004010	Bottom core holder	BDCY
CY 37100200	Leg of fixing	CONDOR-V 100 to V 1400
CY 37100210	Leg of fixing	CONDOR-H 150 - H 250 - H 750
CY 37100220	Leg of fixing	CONDOR-H 500 - H 1000
CY 37100250	Feet	TURBOIL-F®: 2505 S/MMS to 3011 S/MMS (Before 2010)
CY 37100260	Feet (kit)	TURBOIL-F®: 2505 S/MMS to 9017 S/MMS (After 2010)
CY 37100300	Feet (kit)	TURBOIL-F®: 7011 S/MMS to 9017 S/MMS (Before 2010)
CY 38600220	Feet (kit)	TURBOIL-F®: 15013 S/MMS to 30025 S/MMS
HCYN 1V1	Oil level sight glass for standard flange (3-holes)	HCYN / LEVOIL
HCYN 1V1K	HCYN 1V1 + screws + gaskets	HCYN / LEVOIL